

Females on Study (8 per group)	Dose Groups (mg/kg)					
	0	1	10	50	100	200
That Died	0	0	0	0	0	0
That Aborted	0	0	0	0	0	0
Number Gravid	7	8	7	7	7	6
Number with Viable Fetuses	7	8	7	7	7	6

Fetal Data	Dose Groups (mg/kg)					
	0	1	10	50	100	200
Viable fetuses: Total	99	110	91	79	95	87
Mean (%)	96.2	94	95.3	92.8	96.1	93.2
Dead fetuses	0	0	0	0	0	0
Resorptions: Early	4	7	4	7	4	7
Late	0	0	0	0	0	0
Post-Implant Loss:	4	7	4	7	4	7
Implant sites: Total	103	117	95	86	99	94
Mean	14.7	14.6	13.6	12.3	14.1	15.7
Corpora Lutea: Total	111	133	108	108	113	101
Mean	15.9	16.6	15.4	15.4	16.1	16.8
Pre-Implant Loss	8	16	13	22	14	7
Fetal weight (grams)	3.7	3.5	3.7	3.9	3.8	3.9

Fetal Data	Dose Groups (mg/kg)					
------------	---------------------	--	--	--	--	--

Per litter	0	1	10	50	100	200
Total resorptions: %	3.8	6	4.7	7.2	3.9	6.8
Pre-Implant Loss: %	6.4	11.3	12.6	24	12.1	7
Post-Implant Loss:%	3.8	6	4.7	7.2	3.9	6.8
Males: %	49.9	44.8	54.3	55.2	52.1	40.1
Females: %	50.1	55.2	45.7	44.8	47.9	59.9
Male fetal weight (g)	3.8	3.5	3.7	4	3.8	4.1
Female fetal wt (g)	3.6	3.5	3.6	3.7	3.7	3.9