

Table 3Organ weights of rats fed with test substanceAfter 26 weeks (Males)

Dietary Level (ppm)	No. of rats	Body weight (g)	Organ weight (g)				
			Terminal	Brain	Heart	Liver	Kidneys
0	5	433	1.77	1.33	14.31	2.80	3.77
400	5	447	1.93	1.27	16.41	3.07	3.61
2000	5	425	1.91	1.25	16.09	2.92	3.85
10000	5	423	1.92	1.14	16.10	3.01	3.60
Standard error of treatment Mean		± 12.5	± 0.08	± 0.09	± 0.90	± 0.14	± 0.11

After 26 weeks (Females)

Dietary Level (ppm)	No. of rats	Body weight (g)	Organ weight (g)			
			Terminal	Brain	Heart	Liver
0	5	289	1.86	0.90	9.80	1.96
400	5	297	1.82	0.93	10.46	1.95
2000	5	297	1.83	0.92	9.65	1.92
10000	5	292	1.84	0.92	9.84	1.89
Standard error of treatment Mean		± 6.4	± 0.02	± 0.03	± 0.48	± 0.08

+ Treatment means adjusted for differences in the initial body weight.

Table 3 (continued)

Organ weights of rats fed with test substance

After 52 weeks (Males)

Dietary Level (ppm)	No. of rats	Body weight (g)	Organ weight (g)				
			Terminal	Brain	Heart	Liver	Kidneys
0	4	478	1.99	1.33	17.13	3.32	3.98
400	5	453	2.00	1.34	17.15	3.28	3.69
2000	5	469	1.92	1.35	18.35	3.46	3.94
10000	5	437*	1.96	1.38	17.54	3.13	3.58
Standard error of treatment Mean	4	± 14.1	± 0.029	± 0.052	± 1.303	± 0.119	± 0.283
	5	± 12.6	± 0.026	± 0.047	± 1.166	± 0.106	± 0.245

After 52 weeks (Females)

Dietary Level (ppm)	No. of rats	Body weight (g)	Organ weight (g)			
			Terminal	Brain	Heart	Liver
0	5	330	1.83	1.06	12.17	2.37
400	5	322	1.86	1.08	11.54	2.17
2000	5	326	1.82	1.05	12.29	2.50
10000	5	297	1.80	0.97	10.60	2.10
Standard error of treatment Mean	5	± 13.3	± 0.046	± 0.048	± 0.614	± 0.123

+ Treatment means adjusted for differences in the initial body weight.

* Significance of difference between treatment and control means

Table 3 (continued)

Organ weights of rats fed with test substance

After 78 weeks (Males)

Dietary Level (ppm)	No. of rats	Body weight (g)	Organ weight (g)				
			Terminal	Brain	Heart	Liver	Kidneys
0	5	461	1.92	1.40	16.35	3.48	4.78
400	5	455	1.96	1.35	16.52	3.29	3.68
2000	5	439	1.96	1.30	16.21	3.32	4.10
10000	4	441	1.95	1.31	15.45	3.41	3.80
Standard error of treatment Mean	5	± 5.56	± 0.036	± 0.031	± 1.164	± 0.209	± 0.543
	4	± 6.3	± 0.040	± 0.035	± 1.301	± 0.230	± 0.607

After 78 weeks (Females)

Dietary Level (ppm)	No. of rats	Body weight (g)	Organ weight (g)			
			Terminal	Brain	Heart	Liver
0	5	295	1.85	1.06	11.03	3.10
400	4	306	1.84	1.09	11.87	2.48
2000	4	289	1.79	1.03	10.25	2.19
10000	4	317	1.80	1.09	11.76	2.64
Standard error of treatment Mean	5	± 10.3	± 0.030	± 0.048	± 0.712	± 0.444
	4	± 11.5	± 0.034	± 0.054	± 0.796	± 0.496

+ Treatment means adjusted for differences in the initial body weight.