

## Certification Summary Information Report

<b>Manufacturer</b>	Tesla, Inc.	<b>Manufacturer Code</b>	TSL					
<b>Test Group</b>	HTSLV00.0L13	<b>Evaporative/Refueling Family</b>	--					
<b>Certificate Number</b>	HTSLV00.0L13-004	<b>CARB Executive Order #</b>	--					
<b>Certificate Issue Date</b>	07/05/2017	<b>Certificate Revision Date</b>	--					
<b>Certificate Effective Date</b>	07/05/2017	<b>Conditional Certificate</b>	No					
<b>CSI Revision #</b>	--	<b>CSI Submission/Revision Date</b>	06/30/2017 08:04:21 PM					
<b>Model Year</b>	2017							
<b>Test Group Information</b>								
<b>CSI Type</b>	New	<b>Running Change Reference Number</b>	--					
<b>GHG Exempt Status</b>	Not Exempt							
<b>Drive Sources and Fuel(s)</b>								
<b>Drive Source #1:</b>	Electric Motor							
	<table border="1"> <thead> <tr> <th>Fuel</th><th>Basic Fuel Metering System</th><th>Lean Burn Strategy Indicator</th></tr> </thead> <tbody> <tr> <td>Electricity</td><td>--</td><td>--</td></tr> </tbody> </table>	Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator	Electricity	--	--	
Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator						
Electricity	--	--						
<b>Hybrid Indicator</b>	No							
<b>Multiple Fuel Storage</b>	--	<b>Rechargeable Energy Storage System Indicator</b>	Yes					
<b>Multiple Fuel Combustion</b>	--	<b>Off-board Charge Capable Indicator</b>	Yes					
<b>Fuel Cell Indicator</b>	No	<b>EPA Vehicle Class</b>	LDV					
<b>Federal Clean Fuel Vehicle</b>	Yes	<b>Federal Clean Fuel Vehicle Standard</b>	ZEV					
<b>Federal Clean Fuel Vehicle ILEV</b>	Yes	<b>California Partial Zero Emissions Vehicle Indicator</b>	--					
<b>Durability Group Name</b>	HTSLEEVN13	<b>Durability Group Equivalency Factor</b>	1					
<b>Reduced Fee Test Group</b>	No	<b>Certification Region Code(s)</b>	FA, CA					
<b>Complies with HD GHG 2b/3 regulations?</b>	No							
<b>Introduction into Commerce Date</b>	07/03/2017	<b>CAP2000 Conditional Certificate?</b>	No					
<b>Independent Commercial Importer?</b>	No	<b>Alternative Fuel Converter Certificate?</b>	No					
<b>SFTP Federal Composite Compliance Identifier</b>	Not Applicable	<b>SFTP Tier 2 Composite CO Option</b>	--					
<b>SFTP LEV-III Composite Compliance Indicator</b>	No							
<b>OBD Compliance Type</b>	CARB	<b>OBD Demonstration Vehicle Test Group</b>	HTSLV00.0L13					
<b>Test Group OBD Compliance Level</b>	Full - no deficiencies	<b>Number of Test Group OBD Deficiencies</b>	0					
<b>OBD Deficiencies Comments</b>	Battery Electric Vehicle - No OBD requirements							
<b>Mfr Test Group Comments</b>	MY2017 certification for Model 3 Long Range carline.							
<b>Mfr Exhaust / Evap Standards Comments</b>	--							

### Certification Summary Information Report

<b>Test Group</b>		HTSLV00.0L13			<b>Evaporative/Refueling Family</b>			--								
<b>Models Covered by this Certificate</b>																
<b>Carline Manufacturer</b>		<b>Division</b>		<b>Carline</b>		<b>Certification Region Code(s)</b>		<b>Drive System</b>		<b>Trans - Type</b>	<b>- # of Gears</b>	<b>Trans - Lockup</b>				
Tesla, Inc.		1 - Tesla Motors		82 - Model 3 Long Range		Federal		2-Wheel Drive, Rear		Other	1	No				
<b>Engine Description</b>																
<b>Hybrid Type</b>				--				<b>Hybrid Description</b>				--				
<b>Engine Type</b>				--				<b>Mfr Engine Description</b>				--				
<b>Engine Block Arrangement</b>				--				<b>Mfr Engine Block Arrangement Description</b>				--				
<b>Camless Valvetrain Indicator</b>				--				<b>Oil Viscosity/Classification</b>				--				
<b>Number of Cylinders/Rotors</b>				--				<b>Mechanically Variable Compression Ratio Indicator</b>				--				
<b>After Treatment Device(s) (ATD)</b>																
<b>Mfr After Treatment Device (ATD) Comments</b>				--												
<b>Direct Ozone Reduction (DOR) Device</b>				--												
<b>Mfr Emission Control Device Comments</b>				--												
<b>Official Test Numbers</b>																
<b>Test Group Fuel</b>		<b>FTP</b>		<b>US06</b>		<b>SC03</b>		<b>Cold CO</b>		<b>Highway</b>		<b>EPA City Litmus Value</b>	<b>EPA City Litmus Threshold</b>	<b>EPA Highway Litmus Value</b>	<b>EPA Highway Litmus Threshold</b>	<b>CREE Weighting Factor</b>
Electricity		--		--		--		--		--		--	--	--	--	--
<b>Official Charge Depleting Test Numbers</b>																
<b>Test Group Fuel</b>				<b>UDDS</b>				<b>Highway</b>								
Electricity				HTSL10049210				HTSL10049211								

## Certification Summary Information Report

Test Group	HTSLV00.0L13	Evaporative/Refueling Family	--
<b>Hybrid Electric Vehicle And Fuel Cell Information</b>			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	1
Total Voltage of Battery Packs	350	Battery Energy Capacity	230
Battery Specific Energy	150	Battery Charger Type	On-Board
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Both	Driver Controlled Regenerative Braking	No
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	1		
Motor/Generator Type 1	AC 3 PHASE PERMENANT MAGNET	Rated Motor/Generator Power	192
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	2017MY Model 3 RWD Long Range Carline		

## Certification Summary Information Report

<b>Test Group</b>	HTSLV00.0L13		<b>Evaporative/Refueling Family</b>	--							
<b>Emission Data Vehicle Information</b>											
<b>Vehicle ID / Configuration</b>	3R217-R00012 / 0		<b>Manufacturer Vehicle Configuration Number</b>	0							
<b>Original Test Group Name</b>	HTSLV00.0L13		<b>Original Evaporative/Refueling Family</b>	--							
<b>Original Test Vehicle Model Year</b>	2017										
<b>Vehicle Model</b>											
<b>Represented Test Vehicle Make</b>	Tesla Model 3		<b>Represented Test Vehicle Model</b>	Long Range							
<b>Leak Family Details</b>											
<b>Leak Family Identifier</b>	--		<b>Leak Family Name</b>	--							
<b>Drive Sources and Fuel System Details</b>											
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>						Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel									
1	Electric Motor	Electricity									
<b>Hybrid Indicator</b>	No		<b>Multiple Fuel Combustion</b>	--							
<b>Multiple Fuel Storage</b>	--		<b>Rechargeable Energy Storage System Indicator</b>	Yes							
<b>Fuel Cell Indicator</b>	No		<b>Rechargeable Energy Storage System, if 'Other'</b>	--							
<b>Rechargeable Energy Storage System</b>	Battery(s)										
<b>Off-board charge Capable Indicator</b>	Yes		<b>Odometer Correction Factor</b>	1							
<b>Odometer Correction -- Initial</b>	1										
<b>Odometer Correction Sign</b>	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor										
<b>Odometer Correction Units</b>	Miles										
<b>Engine Code</b>	L13		<b>Rated Horsepower</b>	258							
<b>Displacement (liters)</b>	0.001										
<b>Air Aspiration Method</b>	Naturally Aspirated		<b>Air Aspiration Method, if 'Other'</b>								
<b>Number of Air Aspiration Devices</b>	--		<b>Air Aspiration Device Configuration</b>	--							
<b>Charge Air Cooler Type</b>	--		<b>Drive Mode While Testing</b>	2-Wheel Drive, Rear							
<b>Shift Indicator Light Usage</b>	Not equipped		<b>Aged Emission Components</b>	4,000 (mi)							
<b>Curb Weight (lbs)</b>	3837		<b>Equivalent Test Weight (pounds)</b>	4250							
<b>GVWR (lbs)</b>	--		<b>N/V Ratio</b>	116.1							
<b>Axle Ratio</b>	9										
<b>Transmission Type</b>	Direct Drive		<b># of Transmission Gears</b>	1							
<b>Transmission Lockup</b>	No		<b>Creeper Gear</b>	No							
<b>Dynamometer Coefficients:</b>											
<b>Target Coefficients</b>			<b>Set Coefficients</b>								
<b>Coefficient Category</b>	<b>A (lbf)</b>	<b>B (lbf/mph)</b>	<b>C (lbf/mph**2)</b>	<b>A (lbf)</b>	<b>B (lbf/mph)</b>	<b>C (lbf/mph**2)</b>	<b>EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients</b>				
<b>City/Highway/Evap</b>	38.51	-0.0811	0.0161	-12.12	0.2046	0.0115	10				
<b>Emission Control Device Comments</b>		No Emissions Control Device - Pure Electric									

### Certification Summary Information Report

<b>Test Group</b>	HTSLV00.0L13	<b>Evaporative/Refueling Family</b>	--
<b>Manufacturer Test Vehicle Comments</b>	This is 2017 Model 3 - Long Range model with RWD Motor.		

## Certification Summary Information Report

Test Group	HTSLV00.0L13	Evaporative/Refueling Family	--
<b>Test #</b>	<b>HTSL10049210</b>	<b>Test Procedure</b>	<b>81 - Charge Depleting UDDS</b>
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	62 - Electricity
<b>Test Date</b>	06/16/2017	<b>Fuel</b>	N/A
<b>Fuel Batch ID</b>	--	<b>Fuel Calibration Number</b>	--
<b>Vehicle Class</b>	N/A	<b>DF Type</b>	EPA Assigned
<b>Verify Test Lab ID</b>	Fremont Dyno		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	5595	<b>Odometer Units</b>	M
<b>4WD Test Dyno</b>	Yes	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	--		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 86 (+/- 2 mph, +/- 1 sec)	<b>Road Speed Fan Usage</b>	Yes
<b>PHEV/EV TEST INFO</b>			
<b>Recharge Event Voltage</b>	208	<b>Recharge Event Energy (kiloWatt-hours)</b>	89.404
<b>Charge Depleting Range (Calculated miles)</b>	495.11	<b>Charge Depleting Range (Actual miles)</b>	495.04
<b>Equivalent All Electric Range (miles)</b>	495.11		
<b>Number of Charge Depleting Bags/Phases Conducted</b>	1		
<b>Charge Depleting Bag/Phase</b>			
Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result	
1	Actual Distance Driven (miles)	495.11	
2	Average System Voltage	351	
3	Carbon Monoxide	0	
4	Carbon dioxide	0	
5	Carbon-Related Exhaust Emissions	0	
6	Drive Trace Absolute Speed Change Rating	-0.65	
7	Drive Trace Energy Economy Rating	-0.86	
8	Drive Trace Inertia Work Ratio Rating	-1.12	
9	Integrated Amp-hours	222.81	
10	Manufacturer Fuel Economy	186.628	
11	Nitrogen Oxide	0	
12	Particulate Matter	0	
13	System End State of Charge Watt-hours	0	
14	System Start State of Charge Watt-hours	0	
<b>Manufacturer Test Comments</b>	Internal Test results for MY2017 Model 3 Long Range. Range determined by using SAE J1634 Multi-cycle test procedure. END-SOC 78270 wh. MCT dc wh/mi is attached with EPA application.		

## Certification Summary Information Report

Test Group	HTSLV00.0L13	Evaporative/Refueling Family	--
<b>Test #</b>	<b>HTSL10049211</b>	<b>Test Procedure</b>	<b>84 - Charge Depleting Highway</b>
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	62 - Electricity
<b>Test Date</b>	06/16/2017	<b>Fuel</b>	N/A
<b>Fuel Batch ID</b>	--	<b>Fuel Calibration Number</b>	--
<b>Vehicle Class</b>	N/A	<b>DF Type</b>	EPA Assigned
<b>Verify Test Lab ID</b>	Fremont Dyno		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	5595	<b>Odometer Units</b>	M
<b>4WD Test Dyno</b>	Yes	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	--		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 86 (+/- 2 mph, +/- 1 sec)	<b>Road Speed Fan Usage</b>	Yes
<b>PHEV/EV TEST INFO</b>			
<b>Recharge Event Voltage</b>	208	<b>Recharge Event Energy (kiloWatt-hours)</b>	89.41
<b>Charge Depleting Range (Calculated miles)</b>	454.64	<b>Charge Depleting Range (Actual miles)</b>	454.64
<b>Equivalent All Electric Range (miles)</b>	454.64		
<b>Number of Charge Depleting Bags/Phases Conducted</b>	1		
<b>Charge Depleting Bag/Phase</b>			
Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result	
1	Actual Distance Driven (miles)	454.64	
2	Average System Voltage	351	
3	Carbon Monoxide	0	
4	Carbon dioxide	0	
5	Carbon-Related Exhaust Emissions	0	
6	Drive Trace Absolute Speed Change Rating	-1.06	
7	Drive Trace Energy Economy Rating	-0.6	
8	Drive Trace Inertia Work Ratio Rating	-1.3	
9	Integrated Amp-hours	221.81	
10	Manufacturer Fuel Economy	171.431	
11	Nitrogen Oxide	0	
12	Particulate Matter	0	
13	System End State of Charge Watt-hours	0	
14	System Start State of Charge Watt-hours	0	
<b>Manufacturer Test Comments</b>	Internal Test results for MY2017 Model 3 Long Range. Range determined by using SAE J1634 Multi-cycle test procedure. END-SOC - 78270 wh. MCT dc wh/mi is attached with application.		

### Certification Summary Information Report

<b>Test Group</b>	HTSLV00.0L13	<b>Evaporative/Refueling Family</b>	--
<b>Fuel Properties</b>			



### Certification Summary Information Report

<b>Test Group</b>	HTSLV00.0L13	<b>Evaporative/Refueling Family</b>	--						
<b>Consolidated List of Standards</b>									
<b>Exhaust Standards</b>									
<b>Cert Region</b>	Federal	<b>Cert/In-Use Code</b>	Cert						
<b>Vehicle Class</b>	LDV/Passenger Car	<b>Standard Level</b>	Federal Tier 3 Bin 0						
<b>Fuel</b>	Electricity	<b>Test Procedure</b>	CVS 75 and later (w/o can. load)						
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>
150,000 miles	CO	--	--	--	--	--	1	--	0
150,000 miles	CREE	--	--	--	--	--	1	--	0

## Certification Summary Information Report

Test Group	HTSLV00.0L13	Evaporative/Refueling Family	--
<b>Glossary</b>			
<b>Useful Life</b>			
4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		
<b>Emission Name</b>			
HC-TOTAL	Total Hydrocarbon	METHANOL	CH3OH - Methanol
CO	Carbon Monoxide	N2O	Nitrous Oxide
CO2	Carbon dioxide	SPITBACK	Spitback Hydrocarbon in grams
CREE	Carbon-Related Exhaust Emissions	AMP-HRS	Integrated Amp-hours
OPT-CREE	Optional Carbon-Related Exhaust Emissions	START-SOC	System Start State of Charge Watt-hours
NOX	Nitrogen Oxide	END-SOC	System End State of Charge Watt-hours
PM	Particulate Matter	ACT-DISTANCE	Actual Distance Driven (miles)
PM-COMP	SFTP Composite Particulate Matter	AS-VOLT	Average System Voltage
HC-NM	Non-methane Hydrocarbon	CO2 BAG 1	Bag 1 Carbon Dioxide
OMHCE	Organic material Hydrocarbon Equivalent	CO2 BAG 2	Bag 2 Carbon Dioxide
OMNMHCE	Organic material non-methane HC equivalent	CO2 BAG 3	Bag 3 Carbon Dioxide
NMOG	Non-methane organic gas	CO2 BAG 4	Bag 4 Carbon Dioxide
HCHO	Formaldehyde	NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides
H3C2HO	Acetaldehyde	NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	DT-IWRR	Drive Trace Inertia Work Ratio Rating
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	DT-ASCR	Drive Trace Absolute Speed Change Rating
CO-COMP	SFTP Composite Carbon Monoxide	DT-EER	Drive Trace Energy Economy Rating
ETHANOL	C2H5OH - Ethanol	COMB-CREE	Combined Carbon-Related Exhaust Emissions
FE BAG 1	Bag 1 Fuel Economy	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
FE BAG 2	Bag 2 Fuel Economy	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
FE BAG 3	Bag 3 Fuel Economy	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
FE BAG 4	Bag 4 Fuel Economy	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
MFR FE	Manufacturer Fuel Economy	LEAK-DIA	Effective Leak Diameter (inches)
HC	Hydrocarbon for Running Loss and ORVR	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
METHANE	CH4 - Methane	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
<b>Certification Region</b>			
CA	California + CAA Section 177 states	FA	Federal
<b>Exhaust Emission Standard Level</b>			
B1	Federal Tier 2 Bin 1	L3ULEV340	California LEV-III ULEV340
B2	Federal Tier 2 Bin 2	L3ULEV250	California LEV-III ULEV250
B3	Federal Tier 2 Bin 3	L3ULEV200	California LEV-III ULEV200
B4	Federal Tier 2 Bin 4	L3SULEV170	California LEV-III SULEV170
B5	Federal Tier 2 Bin 5	L3SULEV150	California LEV-III SULEV150

## Certification Summary Information Report

Test Group	HTSLV00.0L13	Evaporative/Refueling Family	--
B6	Federal Tier 2 Bin 6	L3LEV630	California LEV-III LEV630
B7	Federal Tier 2 Bin 7	L3ULEV570	California LEV-III ULEV570
B8	Federal Tier 2 Bin 8	L3ULEV400	California LEV-III ULEV400
B9	Federal Tier 2 Bin 9	L3ULEV270	California LEV-III ULEV270
B10	Federal Tier 2 Bin 10	L3SULEV230	California LEV-III SULEV230
B11	Federal Tier 2 Bin 11	L3SULEV200	California LEV-III SULEV200
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	T3B160	Federal Tier 3 Bin 160
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	T3B125	Federal Tier 3 Bin 125
L2	California LEV-II LEV	T3B110	Federal Tier 3 Transitional Bin 110
L2OP	California LEV-II LEV Optional	T3B85	Federal Tier 3 Transitional Bin 85
U2	California LEV-II ULEV	T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover
S2	California LEV-II SULEV	T3B70	Federal Tier 3 Bin 70
ZEV	California ZEV	T3B50	Federal Tier 3 Bin 50
OT	Other	T3B30	Federal Tier 3 Bin 30
T1	Federal Tier 1	T3B20	Federal Tier 3 Bin 20
PZEV	California PZEV	T3B0	Federal Tier 3 Bin 0
L2LEV160	California LEV-II LEV160	HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395
L2ULEV125	California LEV-II ULEV125	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340
L2SULEV30	California LEV-II SULEV30	HDV2B250	Federal Tier 3 HD Class 2b Bin 250
L2LEV395	California LEV-II LEV395	HDV2B200	Federal Tier 3 HD Class 2b Bin 200
L2ULEV340	California LEV-II ULEV340	HDV2B170	Federal Tier 3 HD Class 2b Bin 170
L2LEV630	California LEV-II LEV630	HDV2B150	Federal Tier 3 HD Class 2b Bin 150
L2ULEV570	California LEV-II ULEV570	HDV2B0	Federal Tier 3 HD Class 2b Bin 0
L3LEV160	California LEV-III LEV160	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630
L3ULEV125	California LEV-III ULEV125	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570
L3ULEV70	California LEV-III ULEV70	HDV3B400	Federal Tier 3 HD Class 3 Bin 400
L3ULEV50	California LEV-III ULEV50	HDV3B270	Federal Tier 3 HD Class 3 Bin 270
L3SULEV30	California LEV-III SULEV30	HDV3B230	Federal Tier 3 HD Class 3 Bin 230
L3SULEV20	California LEV-III SULEV20	HDV3B200	Federal Tier 3 HD Class 3 Bin 200
L3LEV395	California LEV-III LEV395	HDV3B0	Federal Tier 3 HD Class 3 Bin 0
<b>Transmission Type Code</b>			
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual
A	Automatic	OT	Other
AM	Automated Manual	SA	Semi-Automatic
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)
<b>Drive System Code</b>			
4	4-Wheel Drive	P	Part-time 4-Wheel Drive
F	2-Wheel Drive, Front	A	All Wheel Drive
R	2-Wheel Drive, Rear		

## Certification Summary Information Report

Test Group	HTSLV00.0L13	Evaporative/Refueling Family		--
<b>Additional Terms and Acronyms</b>				
AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer	
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor	SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative	Trans	Transmission	