

Certification Summary Information Report

Test Group		LHYXV00.0K31			Evaporative/Refueling Family			--		
Models Covered by this Certificate										
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup			
Hyundai Motor Company	1 - HYUNDAI MOTOR COMPANY	150 - Kona Electric	Federal	2-Wheel Drive, Front	Automatic	1	No			
Hyundai Motor Company	1 - HYUNDAI MOTOR COMPANY	150 - Kona Electric	California + CAA Section 177 states	2-Wheel Drive, Front	Automatic	1	No			
Engine Description										
Hybrid Type				Hybrid Description			--			
Engine Type				Mfr Engine Description			--			
Engine Block Arrangement				Mfr Engine Block Arrangement Description			--			
Camless Valvetrain Indicator				Oil Viscosity/Classification			--			
Number of Cylinders/Rotors				Mechanically Variable Compression Ratio Indicator			--			
After Treatment Device(s) (ATD)										
Mfr After Treatment Device (ATD) Comments				--						
Direct Ozone Reduction (DOR) Device				--						
Mfr Emission Control Device Comments				--						
Official Test Numbers										
Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity	--	--	--	--	--	--	--	--	--	--
Official Charge Depleting Test Numbers										
Test Group Fuel	UDDS	Highway								
Electricity	KHYX10054642	KHYX10054643								

Certification Summary Information Report

Test Group	LHYXV00.0K31	Evaporative/Refueling Family	--
Hybrid Electric Vehicle And Fuel Cell Information			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	1
Total Voltage of Battery Packs	356	Battery Energy Capacity	180
Battery Specific Energy	141.3	Battery Charger Type	Both
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Front Wheels	Driver Controlled Regenerative Braking	No
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	1		
Motor/Generator Type 1	PMSM (IPM)	Rated Motor/Generator Power	150
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	PMSM : Permanent Magnet Synchronous Motor IPM : Interior Permanent Magnet		

Certification Summary Information Report

Test Group	LHYXV00.0K31	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Emission Data Vehicle Information

Vehicle ID / Configuration	OS9F6EU03AC / 0	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	KHYXV00.0K31	Original Evaporative/Refueling Family	--
Original Test Vehicle Model Year	2019		
Vehicle Model			
Represented Test Vehicle Make	HYUNDAI	Represented Test Vehicle Model	Kona Electric

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
-------------------------------	----	-------------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity

Hybrid Indicator	No		
Multiple Fuel Storage	--	Multiple Fuel Combustion	--
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--
Off-board charge Capable Indicator	Yes		
Odometer Correction -- Initial	0	Odometer Correction Factor	0.997
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Miles		
Engine Code	EM16	Rated Horsepower	37
Displacement (liters)	0.001		
Air Aspiration Method	Naturally Aspirated	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	--	Air Aspiration Device Configuration	--
Charge Air Cooler Type	--	Drive Mode While Testing	2-Wheel Drive, Front
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	3770	Equivalent Test Weight (pounds)	4000
GVWR (lbs)	4762	N/V Ratio	155.1
Axle Ratio	3.43		
Transmission Type	Automatic	# of Transmission Gears	1
Transmission Lockup	No	Creeper Gear	No

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	24.859	-0.20036	0.023656	10.075	0.01092	0.020495	9.9

Emission Control Device Comments --

Certification Summary Information Report

Test Group	LHYXV00.0K31	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	--		

Certification Summary Information Report

Test Group	LHYXV00.0K31	Evaporative/Refueling Family	--																																	
Test #	KHYX10054642	Test Procedure	81 - Charge Depleting UDDS																																	
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity																																	
Test Date	06/12/2018	Fuel	Electricity																																	
Fuel Batch ID	--	Fuel Calibration Number	--																																	
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Determined																																	
Verify Test Lab ID	EPA																																			
E10 Evaporative Test Measurement Method	--																																			
Test Start Odometer Reading	2176	Odometer Units	M																																	
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--																																	
State of Charge Delta	No																																			
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No																																	
PHEV/EV TEST INFO																																				
Recharge Event Voltage	240	Recharge Event Energy (kiloWatt-hours)	71.3043																																	
Charge Depleting Range (Calculated miles)	413.59	Charge Depleting Range (Actual miles)	413.59																																	
Equivalent All Electric Range (miles)	413.59																																			
Number of Charge Depleting Bags/Phases Conducted	1																																			
Charge Depleting Bag/Phase																																				
<table border="1"> <thead> <tr> <th>Charge Depleting Bag/Phase #</th> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Actual Distance Driven (miles)</td> <td>413.59</td> </tr> <tr> <td>2</td> <td>Average System Voltage</td> <td>0</td> </tr> <tr> <td>3</td> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>4</td> <td>Drive Trace Absolute Speed Change Rating</td> <td>99.99</td> </tr> <tr> <td>5</td> <td>Drive Trace Energy Economy Rating</td> <td>99.99</td> </tr> <tr> <td>6</td> <td>Drive Trace Inertia Work Ratio Rating</td> <td>99.99</td> </tr> <tr> <td>7</td> <td>Integrated Amp-hours</td> <td>180.285</td> </tr> <tr> <td>8</td> <td>Manufacturer Fuel Economy</td> <td>17.2405</td> </tr> <tr> <td>9</td> <td>System End State of Charge Watt-hours</td> <td>0</td> </tr> <tr> <td>10</td> <td>System Start State of Charge Watt-hours</td> <td>0</td> </tr> </tbody> </table>				Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result	1	Actual Distance Driven (miles)	413.59	2	Average System Voltage	0	3	Carbon-Related Exhaust Emissions	0	4	Drive Trace Absolute Speed Change Rating	99.99	5	Drive Trace Energy Economy Rating	99.99	6	Drive Trace Inertia Work Ratio Rating	99.99	7	Integrated Amp-hours	180.285	8	Manufacturer Fuel Economy	17.2405	9	System End State of Charge Watt-hours	0	10	System Start State of Charge Watt-hours	0
Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result																																		
1	Actual Distance Driven (miles)	413.59																																		
2	Average System Voltage	0																																		
3	Carbon-Related Exhaust Emissions	0																																		
4	Drive Trace Absolute Speed Change Rating	99.99																																		
5	Drive Trace Energy Economy Rating	99.99																																		
6	Drive Trace Inertia Work Ratio Rating	99.99																																		
7	Integrated Amp-hours	180.285																																		
8	Manufacturer Fuel Economy	17.2405																																		
9	System End State of Charge Watt-hours	0																																		
10	System Start State of Charge Watt-hours	0																																		
Manufacturer Test Comments	These results came from a multi-cycle test. MPGe : 195.4990																																			
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail																								
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--																								

Certification Summary Information Report

Test Group	LHYXV00.0K31	Evaporative/Refueling Family	--
Test #	KHYX10054643	Test Procedure	84 - Charge Depleting Highway
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	06/12/2018	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Determined
Verify Test Lab ID	EPA		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2176	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No

PHEV/EV TEST INFO

Recharge Event Voltage	240	Recharge Event Energy (kiloWatt-hours)	71.3043
Charge Depleting Range (Calculated miles)	329.05	Charge Depleting Range (Actual miles)	329.05
Equivalent All Electric Range (miles)	329.05		
Number of Charge Depleting Bags/Phases Conducted	1		

Charge Depleting Bag/Phase

Charge Depleting Bag/Phase #	Test Result/Emission Name	Unrounded Test Result
1	Actual Distance Driven (miles)	329.05
2	Average System Voltage	0
3	Carbon-Related Exhaust Emissions	0
4	Drive Trace Absolute Speed Change Rating	99.99
5	Drive Trace Energy Economy Rating	99.99
6	Drive Trace Inertia Work Ratio Rating	99.99
7	Integrated Amp-hours	180.285
8	Manufacturer Fuel Economy	21.6698
9	System End State of Charge Watt-hours	0
10	System Start State of Charge Watt-hours	0

Manufacturer Test Comments

These results came from a multi-cycle test. MPGe : 155.5390

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--

Certification Summary Information Report

Test Group	LHYXV00.0K31	Evaporative/Refueling Family	--
Fuel Properties			

Certification Summary Information Report

Test Group		LHYXV00.0K31			Evaporative/Refueling Family			--		
Consolidated List of Standards										
Exhaust Standards										
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert		
Vehicle Class		LDV/Passenger Car			Standard Level			California ZEV		
Fuel		Electricity			Test Procedure			Charge Depleting UDDS		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
150,000 miles	CO	--	--	--	--	--	--	0	0	
Cert Region		Federal			Cert/In-Use Code			Cert		
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 0		
Fuel		Electricity			Test Procedure			Charge Depleting UDDS		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
120,000 miles	CREE	--	--	--	--	--	--	0	999	
150,000 miles	CO	--	--	--	--	--	--	0	0	
Cert Region		Federal			Cert/In-Use Code			Cert		
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 0		
Fuel		Electricity			Test Procedure			Charge Depleting Highway		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
120,000 miles	CREE	--	--	--	--	--	--	0	999	
150,000 miles	CO	--	--	--	--	--	--	0	0	
Cert Region		Federal			Cert/In-Use Code			Cert		
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 0		
Fuel		Electricity			Test Procedure			Federal fuel 3-day exhaust		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
150,000 miles	CO	--	--	--	--	--	--	0	0	

Certification Summary Information Report

Test Group		LHYXV00.0K31			Evaporative/Refueling Family			--		
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert		
Vehicle Class		LDV/Passenger Car			Standard Level			California ZEV		
Fuel		Electricity			Test Procedure			Charge Depleting Highway		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
150,000 miles	CO	--	--	--	--	--	--	0	0	

Certification Summary Information Report

Test Group	LHYXV00.0K31	Evaporative/Refueling Family	--
Glossary			
Useful Life			
4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		
Emission Name			
HC-TOTAL	Total Hydrocarbon	METHANOL	CH3OH - Methanol
CO	Carbon Monoxide	N2O	Nitrous Oxide
CO2	Carbon dioxide	SPITBACK	Spitback Hydrocarbon in grams
CREE	Carbon-Related Exhaust Emissions	AMP-HRS	Integrated Amp-hours
OPT-CREE	Optional Carbon-Related Exhaust Emissions	START-SOC	System Start State of Charge Watt-hours
NOX	Nitrogen Oxide	END-SOC	System End State of Charge Watt-hours
PM	Particulate Matter	ACT-DISTANCE	Actual Distance Driven (miles)
PM-COMP	SFTP Composite Particulate Matter	AS-VOLT	Average System Voltage
HC-NM	Non-methane Hydrocarbon	CO2 BAG 1	Bag 1 Carbon Dioxide
OMHCE	Organic material Hydrocarbon Equivalent	CO2 BAG 2	Bag 2 Carbon Dioxide
OMNMHCE	Organic material non-methane HC equivalent	CO2 BAG 3	Bag 3 Carbon Dioxide
NMOG	Non-methane organic gases	CO2 BAG 4	Bag 4 Carbon Dioxide
HCHO	Formaldehyde	NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides
H3C2HO	Acetaldehyde	NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	DT-IWRR	Drive Trace Inertia Work Ratio Rating
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	DT-ASCR	Drive Trace Absolute Speed Change Rating
CO-COMP	SFTP Composite Carbon Monoxide	DT-EER	Drive Trace Energy Economy Rating
ETHANOL	C2H5OH - Ethanol	COMB-CREE	Combined Carbon-Related Exhaust Emissions
FE BAG 1	Bag 1 Fuel Economy	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
FE BAG 2	Bag 2 Fuel Economy	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
FE BAG 3	Bag 3 Fuel Economy	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
FE BAG 4	Bag 4 Fuel Economy	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
MFR FE	Manufacturer Fuel Economy	LEAK-DIA	Effective Leak Diameter (inches)
HC	Hydrocarbon for Running Loss and ORVR	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
METHANE	CH4 - Methane	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
Certification Region			
CA	California + CAA Section 177 states	FA	Federal
Exhaust Emission Standard Level			
B1	Federal Tier 2 Bin 1	L3ULEV340	California LEV-III ULEV340
B2	Federal Tier 2 Bin 2	L3ULEV250	California LEV-III ULEV250
B3	Federal Tier 2 Bin 3	L3ULEV200	California LEV-III ULEV200
B4	Federal Tier 2 Bin 4	L3SULEV170	California LEV-III SULEV170
B5	Federal Tier 2 Bin 5	L3SULEV150	California LEV-III SULEV150

Certification Summary Information Report

Test Group	LHYXV00.0K31	Evaporative/Refueling Family	--
B6	Federal Tier 2 Bin 6	L3LEV630	California LEV-III LEV630
B7	Federal Tier 2 Bin 7	L3ULEV570	California LEV-III ULEV570
B8	Federal Tier 2 Bin 8	L3ULEV400	California LEV-III ULEV400
B9	Federal Tier 2 Bin 9	L3ULEV270	California LEV-III ULEV270
B10	Federal Tier 2 Bin 10	L3SULEV230	California LEV-III SULEV230
B11	Federal Tier 2 Bin 11	L3SULEV200	California LEV-III SULEV200
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	T3B160	Federal Tier 3 Bin 160
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	T3B125	Federal Tier 3 Bin 125
L2	California LEV-II LEV	T3B110	Federal Tier 3 Transitional Bin 110
L2OP	California LEV-II LEV Optional	T3B85	Federal Tier 3 Transitional Bin 85
U2	California LEV-II ULEV	T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover
S2	California LEV-II SULEV	T3B70	Federal Tier 3 Bin 70
ZEV	California ZEV	T3B50	Federal Tier 3 Bin 50
OT	Other	T3B30	Federal Tier 3 Bin 30
T1	Federal Tier 1	T3B20	Federal Tier 3 Bin 20
PZEV	California PZEV	T3B0	Federal Tier 3 Bin 0
L2LEV160	California LEV-II LEV160	HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395
L2ULEV125	California LEV-II ULEV125	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340
L2SULEV30	California LEV-II SULEV30	HDV2B250	Federal Tier 3 HD Class 2b Bin 250
L2LEV395	California LEV-II LEV395	HDV2B200	Federal Tier 3 HD Class 2b Bin 200
L2ULEV340	California LEV-II ULEV340	HDV2B170	Federal Tier 3 HD Class 2b Bin 170
L2LEV630	California LEV-II LEV630	HDV2B150	Federal Tier 3 HD Class 2b Bin 150
L2ULEV570	California LEV-II ULEV570	HDV2B0	Federal Tier 3 HD Class 2b Bin 0
L3LEV160	California LEV-III LEV160	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630
L3ULEV125	California LEV-III ULEV125	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570
L3ULEV70	California LEV-III ULEV70	HDV3B400	Federal Tier 3 HD Class 3 Bin 400
L3ULEV50	California LEV-III ULEV50	HDV3B270	Federal Tier 3 HD Class 3 Bin 270
L3SULEV30	California LEV-III SULEV30	HDV3B230	Federal Tier 3 HD Class 3 Bin 230
L3SULEV20	California LEV-III SULEV20	HDV3B200	Federal Tier 3 HD Class 3 Bin 200
L3LEV395	California LEV-III LEV395	HDV3B0	Federal Tier 3 HD Class 3 Bin 0
Transmission Type Code			
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual
A	Automatic	OT	Other
AM	Automated Manual	SA	Semi-Automatic
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)
Drive System Code			
4	4-Wheel Drive	P	Part-time 4-Wheel Drive
F	2-Wheel Drive, Front	A	All Wheel Drive
R	2-Wheel Drive, Rear		

Certification Summary Information Report

Test Group	LHYXV00.0K31	Evaporative/Refueling Family	--
Additional Terms and Acronyms			
AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery
DF	Deterioration Factor	SIL	Shift Indicator Light
Evap	Evaporation, Evaporative	Trans	Transmission